Safety Data Sheet

Issue Date: 01-Aug-2013 Revision Date: 02-Jun-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name CXE-202S FC Screed, Part A

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended Use Epoxy Flooring/Coating Systems.

Details of the supplier of the safety data sheet

Supplier Address

Corvixx Polymers Corporation 980 Pauly Drive Elk Grove Village, IL 60007

Emergency Telephone Number

Company Phone Number

1-855-827-8500

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Viscous liquid Physical State Liquid

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Reproductive toxicity	Category 1B

Signal Word Danger

Hazard Statements

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May damage fertility or the unborn child



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Proprietary Resin	Proprietary	50-55
Proprietary Pigment	Proprietary	<20
Proprietary Mineral Additive	Proprietary	<16
Proprietary Alcohol	Proprietary	<6
Proprietary Alcohol	Proprietary	<3
Proprietary Pigment	Proprietary	<2
Proprietary Mineral Additive	Proprietary	<0.5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get

medical advice/attention. Take off contaminated clothing and wash it before reuse.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

breathing is difficult, give oxygen. If not breathing, give artificial respiration. Seek medical

attention for further treatment.

Ingestion Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth

to an unconscious person. Immediately call a poison center or doctor/physician.

Most important symptoms and effects

Symptoms Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Isolate hazard area. Keep unnecessary

and unprotected personnel from entering.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective

gloves/protective clothing and eye/face protection. Wash face, hands, and any exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the

workplace.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Protect from direct sunlight. Store away from incompatible materials. Keep in properly

labeled containers. Store containers upright. Keep separate from food items.

Packaging MaterialsDo not reuse container. Empty containers retain product residue and can be hazardous.

Incompatible Materials Strong acids. Strong oxidizing agents. Strong alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	al Name ACGIH TLV		NIOSH IDLH
Proprietary Pigment	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
		(vacated) TWA: 10 mg/m³ total	
		dust	
Proprietary Mineral Additive	TWA: 2 mg/m³ particulate matter		IDLH: 1000 mg/m ³
	containing no asbestos and <1%	respirable dust <1% Crystalline	TWA: 2 mg/m³ containing no
	crystalline silica, respirable	silica, containing no Asbestos	Asbestos and <1% Quartz
	fraction	TWA: 20 mppcf if 1% Quartz or	respirable dust
		more, use Quartz limit	
Proprietary Pigment	-	(vacated) TWA: 6 mg/m ³ <1%	IDLH: 3000 mg/m ³
		Crystalline silica	TWA: 6 mg/m ³
		TWA: 20 mppcf	
		: (80)/(% SiO2) mg/m ³ TWA	
Proprietary Mineral Additive	TWA: 0.025 mg/m ³ respirable	(vacated) TWA: 0.1 mg/m ³	IDLH: 50 mg/m ³ respirable dust
	fraction	respirable dust	TWA: 0.05 mg/m ³ respirable
		: (30)/(%SiO2 + 2) mg/m ³ TWA	dust
		total dust	
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m³ TWA	
		respirable fraction	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Showers.

Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear approved safety goggles where a splash hazard exists.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation

wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash face, hands

and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceViscous liquidOdorNot determinedColorNot determinedOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not determined
Melting Point/Freezing Point Not determined

(ASTM D-93 / PMCC)

> 260 °C 500 **Boiling Point/Boiling Range**

251.1 °C / 484 °F **Flash Point**

Evaporation Rate Not determined

Flammability (Solid, Gas) Liquid- Not Applicable

Upper Flammability Limits Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined **Specific Gravity** Not determined Water Solubility Negligible Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Oxidizing Properties

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Not determined

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong acids. Strong oxidizing agents. Strong alkalis.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Causes skin irritation.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary Resin	= 11400 mg/kg (Rat)	-	-

Proprietary Pigment	> 10000 mg/kg (Rat)	-	-
Proprietary Alcohol	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Proprietary Coupling Agent	= 22600 µL/kg (Rat)	= 3970 µL/kg (Rabbit)	-
Proprietary Alcohol	= 1600 mg/kg (Rat)	-	-
Proprietary Pigment	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h
Proprietary Mineral Additive	= 500 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause an allergic skin reaction.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested. This product contains proprietary solids that are considered human carcinogens when in respirable form (dust/powder) as

listed by the agencies below.

Chemical Name	ACGIH	IARC	NTP	OSHA
Proprietary Pigment		Group 2B		Х
Proprietary Mineral Additive		Group 3		
Proprietary Pigment		Group 3		
Proprietary Mineral Additive	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A2 - Suspected Human Carcinogeni HARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens" NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity May damage fertility or the unborn child.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Proprietary Mineral Additive		100: 96 h Brachydanio rerio		
		g/L LC50 semi-static		

Proprietary Alcohol	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50
Proprietary Alcohol		3400: 48 h Chaetodonoides mg/L LC50		
Proprietary Pigment	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static		7600: 48 h Ceriodaphnia dubia mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient	
Proprietary Alcohol	1.1	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Proprietary Resin	Present	Х				Present	Х	Present	Х	Х
Proprietary Pigment	Present	Х		Present		Present	Х	Present	Х	Х
Proprietary Mineral Additive	Present	Х		Present		Present	Х	Present	Х	Х
Proprietary Alcohol	Present	Х		Present		Present	Х	Present	Х	Х
Proprietary Alcohol	Present	Х		Present		Present	Х	Present	Х	Х
Proprietary Pigment	Present	Х		Present		Present	Х	Present	Х	Х
Proprietary Mineral Additive	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Γ	Chemical Name	California Proposition 65
Proprietary Pigment -		Carcinogen
ſ	Proprietary Mineral Additive -	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	nemical Name New Jersey Massachusetts			
Proprietary Pigment	X	X	X	
Proprietary Mineral Additive	Х	X	X	
Proprietary Alcohol		X	X	
Proprietary Alcohol		X	X	
Proprietary Pigment	X	X	X	

Proprietary Mineral Additive	X	X	X

16. OTHER INFORMATION

NFPA Health Hazards

Not determined Health Hazards Flammability Not determined Flammability Instability
Not determined
Physical Hazards

Special Hazards
Not determined
Personal Protection
Not determined

Issue Date:01-Aug-2013Revision Date:02-Jun-2015Revision Note:New format

Disclaimer

HMIS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet